

# PRODUCT DATASHEET

## Confidex Ironside Classic™



The most durable tag for challenging industrial asset management applications

### ELECTRICAL SPECIFICATION

#### Device type

RAIN RFID / EPCglobal Gen2v2

#### Operational frequency

Global: 865 - 928 MHz

ETSI: 865 - 869 MHz

FCC: 902 - 928 MHz

#### IC options and memory configuration

Impinj M780™

- EPC 496 bit; User 128 bit; TID 96 bit

Impinj Monza 4E™

- EPC 496 bit; User 128 bit; TID 96 bit

Impinj Monza 4QT™

- EPC 128 bit; User 512 bit; TID 96 bit

Impinj Monza R6-P™

- EPC 96/128 bit; User 32/64 bit; TID 96 bit

#### EPC memory content

Unique number encoded as a default

#### Read range (2W ERP)\*

M780 (Global)

- On metal up to 20 m / 65 ft
- On plastic up to 8 m / 26 ft

M4E / M4QT (Global)

- On metal up to 9 m / 30 ft
- On plastic up to 3 m / 10 ft

R6-P (ETSI and FCC)

- On metal up to 15 m / 50 ft
- On plastic up to 7 m / 23 ft

#### Applicable surface materials\*

Works on any material but optimized for metal.

\* Read ranges are theoretical values that are calculated for non-reflective environment. Different surface materials may influence performance.

### MECHANICAL SPECIFICATION

#### Tag materials

High quality engineering plastics. Surface thermoplastic elastomer.

#### Weight

22 g

#### Delivery format


Single

#### Amount in box

500pcs

#### Dimensions

51,5 x 47,5 x 10 mm / 2.03 x 1.87 x 0.39 in



### ENVIRONMENTAL RESISTANCE

#### Operating temperature

-40°C to +85°C / -40°F to +185°F

#### Ambient temperature

-55°C (for 3h) to +105°C / -67°F (for 3h) to +221°F

#### Peak temperature

+125°C / +257°F 1h duration

#### IP classification

IP68

#### Weather ability

Excellent, including UV-resistance and sea water

#### Vibration resistance

- JESD22-B103B, service condition 2; vibration that is aligned with tag thickness (z-axis)

#### Chemical resistance

No physical or performance changes in:

- 168 hour Motor oil exposure
- 168 hour Salt water (salinity 10%) exposure
- 168 hour Sulfuric acid (10%, pH 2) exposure
- 24 hour NaOH (10%, pH 13) exposure


Generally good against: Methanol (moderate concentrations), ethanol (moderate concentrations), glycerine, ethylene glycol, consistent grease, most acids, bases and tensides such as sulfuric acid 96%, nitric acid 10%, NaOH 50%, soap solution 30%. Testing recommended for hydrocarbons and carboxylic acids. Acetone should be avoided.

#### Expected lifetime

Years in normal operating conditions

*Values in the table are the best recommendations; resistance against environmental conditions depends on the combination of all influencing factors, exposure duration and chemical concentrations. Thus, product's final suitability for certain environmental conditions is recommended to be tested. Contact Confidex for more specific information.*

## RADIATION PATTERNS



## PERSONALIZATION OPTIONS

### Pre-encoding

- Customer specific encoding of EPC or user memory. Locking permanently or with password.

### Customized laser engraving

- Customer specific layout including logo, text, numbers.

## INSTALLATION INSTRUCTIONS

**Confidex Ironside Classic™** can be attached with several fixing methods:

1. 3M 300LSE high performance acrylic adhesive

When background adhesive is ordered the tag is delivered with adhesive attached. Clean and dry the surface for obtaining the maximum bond strength. Ideal application temperature is from +21°C to +38°C (+70°F to +100°F), bond strength can be improved with firm application pressure and moderate heating from +38°C to +54°C (+100°F to +130°F). Installation at temperatures below 10°C (50°F) is not recommended.

2. Structural adhesive

Structural adhesives such as 3M DP110 and SikaFast 5215 provide very high bond strength and resistance against mechanical stress. When tag is attached with structural adhesive, insert a layer of adhesive under the tag and press the tag on the surface. Increase the bond by adding extra sealant from the tag holes. Insert maximum 2mm layer of adhesive under the tag. Please contact adhesive supplier for exact fixing instructions.

3. Mechanical fixing
  - Screws (size M4)
  - Pop rivets (size 4mm)

Mechanical fixing is always recommended for applications that includes risk for high mechanical stress or low temperature during the fixing. Make sure there is no air gap left in between the metal surface and tag.

4. Additional fixing tools
  - Welding bracket



When the application is too demanding for adhesives, but the metal surface cannot be punched for screw or rivet fixing, welding the tag with special bracket is an option for attachment. Welding bracket is made of stainless steel and allows attachment on both flat and curved surfaces.

With all attachment methods the optimal performance is achieved when there is metal left above the tag. Tag orientation as shown with arrow should be considered when using linear reader antennas.



## ORDER INFORMATION

**Product number:** 3004166  
**Product name:** Confidex Ironside Classic™ M780

**Product number:** 3000319  
**Product name:** Confidex Ironside Classic™ M4QT

**Product number:** 3000616  
**Product name:** Confidex Ironside Classic™ M4E

**Product number:** 3003443  
**Product name:** Confidex Ironside Classic™ MR6-P ETSI

**Product number:** 3003444  
**Product name:** Confidex Ironside Classic™ MR6-P FCC

For other versions, additional information and technical support please contact Confidex Ltd.

**DISCLAIMER**  
THE MATERIALS, PRODUCTS AND SERVICES ARE SOLD SUBJECT TO ITS STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, CONFIDEX MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN CONFIDEX STANDARD CONDITIONS OF SALE, CONFIDEX AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.

Each user bears full responsibility for making its own determination as to the suitability of Confidex products, materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished systems incorporating Confidex products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Confidex.