



## ALR-9608 Small, rugged RFID antenna

The Alien Technology® ALR-9608 is a rugged, small form-factor antenna for RFID applications. At only 5.2 inches square, this antenna fits where larger antennas do not.

At only 5.2 inches square the ALR-9608 antenna fits where most patch antennas do not, enabling many precisely-fitted applications.

This antenna is ideal for use in office and retail applications due to its small size, which enables discrete, out-of-the-way installations.


At the same time, its rugged package makes it suitable for industrial, mobile and manufacturing applications.

Optimized for 902-928 MHz, this antenna is suitable for EPC Gen 2 and ISO 18000-6c RFID applications in the Americas, Asia and Australia.

- Very small size
- Rugged package
- Circularly polarized
- Low axial ratio
- Removable, low-loss cable
- Weather resistant




ALR-9608





## ALR-9608 RFID Antenna



Parameter	Specification
Model Number	ALR-9608
Frequency	902 to 928 MHz
Gain (nom)	2.5 dBiL, 5.5 dBiC without cable; 0 dBiL, 3dBiC with cable;
VSWR (max)	1.5
Axial ratio (typ)	2.0
3 dB beamwidth - azimuth (max)	100 degrees
Polarization	Right-handed circular
Impedance	50 Ohms
Dimensions	5.2" (133 mm) x 5.2" (133 mm) x 0.71" (18 mm)
Weight	13 oz (370 g) without cable
Connector and cable	Reverse polarity TNC / removable, 6 meter LMR195 cable
Mounting	Two 10-32 threaded studs
Environmental	-25C to +70C operating temp, IP54 dust and moisture, UV stable

Copyright © Alien Technology Corporation. All rights reserved. Alien, Alien Technology, the Alien Technology logo, FSA™, Alien Higgs-2, Higgs-3, Squiggle, and the Squiggle logo are trademarks or registered trademarks of Alien Technology Corporation in the U.S. and other countries. Other trademarks are the property of their respective owners.  
January 2010

Specifications are subject to change



1.888.238.1155 • Inside USA  
1.205.383.2244 • Outside USA  
info@atlasRFIDstore.com  
www.atlasRFIDstore.com