

## Remote Control Module for PowerVerter Inverters and Inverter/Chargers

MODEL NUMBER: APSRM4



Gives you complete control of your Tripp Lite PowerVerter inverter or inverter/charger from up to 50 ft. away. Ideal for automotive, remote site, industrial, commercial and residential applications.

### Description

The APSRM4 Remote Control Module lets you monitor and control your PowerVerter® inverter (PV-Series) or inverter/charger (RV-, APS- and EMS-Series) from up to 50 feet away. Ideal for automotive, remote site, industrial, commercial and residential applications, the APSRM4 mounts easily in a variety of locations and configurations, including below a dashboard, so you can control your inverter or inverter/charger from the comfort of your vehicle.

Monitor battery charge level and the connected inverter's mode at a glance via the front-panel LEDs. The compact, heavy-duty all-metal housing also includes a convenient switch that lets you toggle between inverter and charger modes. A master override port enables automatic shutdown under various conditions, such as when the vehicle's ignition is on or off, the battery is disconnected or water is encroaching.

Built-in mounting slots and a 50-foot (15.2 meters) cable provide plenty of flexibility in mounting and operating the APSRM4. You can even daisy-chain multiple units to connect to a single inverter or inverter/charger. A face plate is included for front-panel mounting in an RV, boat or other vehicle.

### Features

#### Control Your Inverter or Inverter/Charger Up to 50-ft. (15.24 m) Away

- Ideal for automotive, remote site, industrial, commercial and residential applications
- Allows complete remote monitoring and control of PowerVerter inverter (PV-Series) or inverter/charger (RV-, APS- and EMS-Series)
- Convenient switch lets you toggle between inverter and charger modes

#### Intuitive Front-Panel LEDs

- Indicate battery charge level and connected inverter's mode

#### Master Override Capability

- Enables automatic shutdown of connected inverter under one of 4 conditions:
  - **Ignition On** (prevents distractions from connected equipment while driving)
  - **Ignition Off** (prevents accidental battery drain while parked)
  - **Battery Disconnect** (ensures safe shutoff when battery is disconnected separately)

### Highlights

- LEDs indicate battery level and inverter mode at a glance
- One-touch switch between inverter modes
- Master override capability for complete control
- Easy front-panel, rear-panel or below-dashboard installation
- Heavy-duty metal construction

### Package Includes

- APSRM4 Remote Control Module
- Faceplate
- Remote control cord, 50-ft. (15.24 m)
- Master override cord, 25-ft. (7.62 m)
- LED labels
- Owner's manual



Powering Business Worldwide

TRIPP LITE  
SERIES

- **Water Encroachment** (reduces shock hazard in marine applications)

**Built-In Mounting Slots**

- Installs in variety of locations and configurations, including front-panel, rear-panel and below-dashboard
- Daisy-chain port allows multiple units to connect to one inverter or inverter/charger
- Faceplate included for front-panel mounting

## Specifications

OVERVIEW	
UPC Code	037332122353
Accessory Type	Remote Control Module
Accessory Class	Power Inverter Accessories
USER INTERFACE, ALERTS & CONTROLS	
Front Panel LEDs	Battery Charge and Operational LEDs.
Switches	Remote Control Switch.
PHYSICAL	
Material of Construction	Metal
Shipping Dimensions (hwd / in.)	2.40 x 10.20 x 7.10
Shipping Dimensions (hwd / cm)	6.10 x 25.91 x 18.03
Shipping Weight (lbs.)	2.20
Shipping Weight (kg)	1.00
Unit Dimensions (hwd / in.)	1.250 x 4.000 x 2.250
Unit Dimensions (hwd / cm)	3.2 x 10.2 x 5.7
Unit Weight (lbs.)	0.40
Unit Weight (kg)	0.18
STANDARDS & COMPLIANCE	
Product Compliance	RoHS
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	1-year limited warranty



*Powering Business Worldwide*

TRIPP LITE  
SERIES

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2026 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.