

Industrial Printing Solutions



Non-Topcoated VS. Topcoated Direct Thermal Material

Direct thermal materials utilize a heat sensitive, direct thermal coating that produces an image when in contact with the energized thermal printhead within your printer. The direct thermal coating is also sensitive to other environmental factors such as chemical contact, humidity, UV exposure and abrasion. These factors can destroy or degrade the quality of your printed image.

To help protect your printed image from these environmental factors, materials are available with a clear, protective

top-coating. This top coat acts as a barrier to help resist the effects of image-degrading environmental factors.

Which is right for your application?

Non-Topcoated Product

The most economical choice, non-topcoated materials are acceptable for short duration labeling applications requiring limited environmental resistance.

Topcoated Product

Best for applications where the label will be subjected to abrasion, sunlight, moisture or light chemical contact.

Industrial Printing Solutions

Direct Thermal Label Rolls – Premium Top Coated Direct Thermal Stock

8.0" maximum outside diameter rolls | 3.0" inside diameter core | Permanent adhesive (acrylic)

For use in the following TSC Auto ID printers:

Up to 4" label width ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M, MH240, MH240T, MH240P, MB240, MB240T

Up to 6" label width TTP-2610MT, TTP-268M, TTP-366M, TTP-368MT, TTP-286MT, TTP-384MT

For use in the following Printronix Auto ID printers:

Up to 4" label width T4000 (4" model), T6000 (4" model), T8000 (4" model)

Up to 6" label width T6000 (6" model), T8000 (6" model)

PART NO.	LABEL WIDTH (in)	LABEL LENGTH (in)	LABELS/ROLL	ROLLS/CTN	CTN WEIGHT (lb)
DT-200100-8-03	2	1	5500	8	23
DT-225125-8-03	2.25	1.25	4450	8	25
DT-300100-8-03	3	1	5500	6	33
DT-300200-8-03	3	2	2750	6	32
DT-300500-8-03	3	5	1200	6	35
DT-400100-8-03	4	1	5500	4	23
DT-400150-8-03	4	1.5	3600	4	23
DT-400200-8-03	4	2	3000	4	23
DT-400300-8-03	4	3	2000	4	22
DT-400400-8-03	4	4	1500	4	23
DT-400600-8-03	4	6	1000	4	24
DT-400650-8-03	4	6.5	900	4	23
DT-400800-8-03	4	8	750	4	24

All rolls have perforations. Non-perforated rolls available upon request. Sold in full case quantities only.

Industrial Printing Solutions

Direct Thermal Label Rolls – Premium Top Coated Direct Thermal Color Stock

8.0" maximum outside diameter rolls | 3.0" inside diameter core | Permanent adhesive (acrylic)

For use in the following TSC Auto ID printers:

Up to 4" label width **ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M, MH240**

For use in the following Printronix Auto ID printers:

Up to 4" label width **T4000 (4" model), T6000 (4" model), T8000 (4" model)**

PART NO.	LABEL WIDTH (in)	LABEL LENGTH (in)	COLOR	LABELS/ROLL	ROLLS/CTN	CTN WEIGHT (lb)
DT-400600Y-8-03	4	6	PANTONE YELLOW	1000	4	26
DT-400600O-8-03	4	6	PMS 021 ORANGE	1000	4	26
DT-400600PK-8-03	4	6	PMS 182 PINK	1000	4	26
DT-400600R-8-03	4	6	PMS 185 RED	1000	4	26
DT-400600B-8-03	4	6	PMS 2975 BLUE	1000	4	26
DT-400600G-8-03	4	6	PMS 365 GREEN	1000	4	26
DT-400600P-8-03	4	6	PMS 251 PURPLE	1000	4	26
DT-400600BR-8-03	4	6	PMS 726 BROWN	1000	4	26

All rolls have perforations. Non-perforated rolls available upon request. Sold in full case quantities only.

Direct Thermal Fanfold Labels – Premium Top Coated Direct Thermal Stock

Fanfold stacks | Permanent adhesive (acrylic)

For use in the following TSC Auto ID printers:

Up to 4" label width **ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-2610M, TTP-286MT, TTP-644M, TTP-368MT, TTP-384MT,**

For use in the following Printronix Auto ID printers:

Up to 4" label width **T6000, T8000**

PART NO.	LABEL WIDTH (in)	LABEL LENGTH (in)	LABELS/STACK	STACKS/CTN	CTN WEIGHT (lb)
DT-400600-FF	4	6	2000	2	22

Sold in full case quantities only.

Industrial Printing Solutions

Direct Thermal Label Rolls – Premium Uncoated Direct Thermal Stock

8.0" maximum outside diameter rolls | 3.0" inside diameter core | Permanent adhesive (acrylic)

For use in the following TSC Auto ID printers: **ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-644M, TTP-2610MT, TTP-268M, TTP-366M, TTP-368MT, TTP-286MT, TTP-384MT**

For use in the following Printronix Auto ID printers: **T6000, T8000**

PART NO.	LABEL WIDTH (in)	LABEL LENGTH (in)	LABELS/ROLL	ROLLS/CTN	CTN WEIGHT (lb)
UDT-400200-8-03	4	2	3000	4	22
UDT-400300-8-03	4	3	1900	4	25
UDT-400400-8-03	4	4	1500	4	25
UDT-400600-8-03	4	6	1000	4	25
UDT-400650-8-03	4	6.5	900	4	23

All rolls have perforations. Non - perforated rolls available upon request. Sold in full case quantities only.

Direct Thermal Fanfold Labels – Premium Uncoated Direct Thermal Stock

Fanfold stacks | Permanent adhesive (acrylic)

For use in the following TSC Auto ID printers:

Up to 4" label width **ME240, ME340, MX240, MX340, MX640, TTP-2410M, TTP-246M, TTP-344M, TTP-346M, TTP-2610M, TTP-286MT, TTP-644M, TTP-368MT, TTP-384MT**

For use in the following Printronix Auto ID printers:

Up to 4" label width **T6000, T8000**

PART NO.	LABEL WIDTH (in)	LABEL LENGTH (in)	LABELS/STACK	STACKS/CTN	CTN WEIGHT (lb)
UDT-400600-FF	4	6	2000	2	26

Sold in full case quantities only.



atlasRFIDstore

(205) 383-2244

sales@atlasRFIDstore.com

www.atlasRFIDstore.com