

EOS-241 M730

# T A G E O S

## Datasheet



T A G E O S

### Global-Compliant Versatile Solution for Retail and Logistics

The EOS-241 M730 inlay combines superior read performance with a compact antenna size that is appropriate for item-level applications in retail and logistics. Optimized for use on diverse packaging materials, the inlay is ideal for inventory management in a wide range of non-food industries including retail apparel, supply chain, logistics, and pharmaceutical/healthcare.

It is based on Impinj's M730 RAIN RFID IC, which features 128-bit EPC memory, and provides high performance, fast inventory capability, and advanced features for next-generation, universal RAIN RFID tags. The IC is well suited for solutions that include high-speed inventory counting, loss prevention with frictionless self-checkout, and embedded tagging with seamless product returns.

The EOS-241 M730 inlay is available in dry, wet, and paper-face formats.

Tageos was one of the first companies to qualify for ARC Quality Certification for its manufacturing operations from Auburn University RFID Lab. EOS-241 M730 complies with ARC specifications F, G, N, O, Q, B1, W2, W5 and W6.

Like all Tageos' RFID products, EOS-241 M730 complies with ISO 9001:2015 Quality Management System and ISO 14001:2015 Environmental Management System as well as Environmental Directives RoHS and REACH, utilizing sustainable materials such as FSC® certified paper whenever possible.


#### Overview

IC:	Impinj M730
EPC/User Memory:	128 bit / - bit
TID Memory:	96-bit incl. 48-bit unique S/N
Frequency Band:	860 - 960 MHz
Protocol:	EPC Class 1 Gen 2 - ISO 18000-6c

#### Application Areas

- Apparel
- Inventory Visibility
- Item Level Tagging
- Pharma & Healthcare
- Supply Chain Management






# EOS-241 M730

# T A G E O S

## Technical Overview

	Dry inlay	Wet Inlay	Paper-face Inlay
Product Code	2400000198	2400000196	2400000197
Antenna Size	42 x 16 mm 1.65 x 0.63 in	42 x 16 mm 1.65 x 0.63 in	42 x 16 mm 1.65 x 0.63 in
Finish Size	-	44 x 18 mm 1.73 x 0.71 in	44 x 18 mm 1.73 x 0.71 in
Web Width	48 ± 0.5 mm 1.89 ± 0.02 in	48 ± 1 mm 1.89 ± 0.04 in	48 ± 1 mm 1.89 ± 0.04 in
Pitch	22.23 ± 0.2 mm 0.88 ± 0.01 in	22.23 ± 0.2 mm 0.88 ± 0.01 in	22.23 ± 0.2 mm 0.88 ± 0.01 in
Antenna Material	Aluminium	Aluminium	Aluminium
Front Face	-	Clear PET	TT Paper
Inlay Substrate	Clear PET	Clear PET	Clear PET
Inlay Adhesive	-	Permanent	Permanent
Liner	-	Paper	Paper
Operating Temperature	-40°C / +85°C -40°F / +185°F	-40°C / +85°C -40°F / +185°F	-40°C / +85°C -40°F / +185°F
Final Inspection	100% tested	100% tested	100% tested
ARC Approvals	F, G, N, O, Q, B1, W2, W5, W6	F, G, N, O, Q, B1, W2, W5, W6	F, G, N, O, Q, B1, W2, W5, W6

Read Range




Contact us:  
Tageos HQ . 1340 rue de Pinville . 34000 Montpellier . France . sales@tageos.com



**Graphs:** All the graphs are indicative; performance in real life applications may vary. The data has been determined based on calculations for transmitters with a normal output power level and respective IC silicon. **Storage & handling precautions:** Observe standard storage and handling practices to minimize Electro Static Discharge. Tageos reserves the right to change its products and services at any time without notice. As our products are used in circumstances beyond our control, we cannot be held liable for any damages caused through their use. This is a general purpose product not designed or intended for any specific application.

© 2023 Tageos. All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.




EOS-241 M730


TAGEOS

## Product Specifications

### Mechanical Dimensions



	Dry Inlay	Wet Inlay	Paper-face Inlay
Product Code	2400000198	2400000196	2400000197
Antenna Size	A x B 42 x 16 mm / 1.65 x 0.63 in	42 x 16 mm / 1.65 x 0.63 in	42 x 16 mm / 1.65 x 0.63 in
Finish Size	C x D -	44 x 18 mm / 1.73 x 0.71 in	44 x 18 mm / 1.73 x 0.71 in
Web Width	E 48 ± 0.5 mm / 1.89 ± 0.02 in	48 ± 1 mm / 1.89 ± 0.04 in	48 ± 1 mm / 1.89 ± 0.04 in
Pitch	F 22.23 ± 0.2 mm / 0.88 ± 0.01 in	22.23 ± 0.2 mm / 0.88 ± 0.01 in	22.23 ± 0.2 mm / 0.88 ± 0.01 in
Antenna to Web Edge	G1 3 ± 0.5 mm / 0.12 ± 0.02 in	-	-
Antenna to Die-cut	G2 -	1 ± 0.5 mm / 0.04 ± 0.02 in	1 ± 0.5 mm / 0.04 ± 0.02 in
Die-cut to Web Edge	H -	2 ± 1 mm / 0.06 ± 0.04 in	2 ± 1 mm / 0.06 ± 0.04 in
Antenna Gap	I 6.23 mm / 0.25 in	-	-
Converting Spot	J 3.45 x 3 mm / 0.14 x 0.12 in	-	-
Bad Mark	K Ø 6 mm / 0.24 in	Ø 6 mm / 0.24 in	Ø 6 mm / 0.24 in
Interleaves	L yes	no	no



# EOS-241 M730

# T A G E O S

## Packing Details

	Dry Inlay	Wet Inlay	Paper-face Inlay
Product Code	2400000198	2400000196	2400000197
Delivery Format	Roll (single row)	Roll (single row)	Roll (single row)
Core Inner Diameter	76 mm / 2.99 in	76 mm / 2.99 in	76 mm / 2.99 in
Roll Outer Diameter	304 mm / 11.97 in	338 mm / 13.27 in	196 mm / 7.68 in
Unwinding Direction	Inlay on outside of roll	Inlay on outside of roll	Inlay on outside of roll
Standard Roll Size	30 000	22 000	4 500
Min. Guar. Yield/Roll	98.5%	98.5%	98.5%
Box Dimensions	39.5 x 39 x 17cm / 15.56 x 15.35 x 6.69 in	39.5 x 39 x 17cm / 15.56 x 15.35 x 6.69 in	26 x 26 x 37 cm 10.24 x 10.24 x 14.57 in
Roll/Box	2	2	6
Inlays/Box	60 000	44 000	27 000
Box Gross Weight	6.7 kg / 14.77 lbs	8.9 kg / 19.62 lbs	7.5 kg / 16.53 lbs
Pallet Dimensions	120 x 80 x 151 cm 47.2 x 31.5 x 59.4 in	120 x 80 x 151 cm 47.2 x 31.5 x 59.4 in	120 x 80 x 126 cm 47.2 x 31.5 x 49.6 in
Boxes/Pallet	48	48	36
Inlays/Pallet	2 880 000	2 112 000	972 000
Pallet Gross Weight	347 kg / 765 lbs	451 kg / 994 lbs	296 kg / 653 lbs



© 2023 Tageos All rights reserved. The pictures and illustrations found on this document are for illustration purposes only, and do not necessarily represent the exact products. Tageos is a registered trademark. All other trademarks are the property of their respective owners. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.