



Product Family | Global UHF RFID Inlay (860 - 960 MHz)
Product Code | VUL-FIRE-M730-WWINLY

FIRE

WHITE WET INLAY



The Vulcan RFID™ Fire UHF RFID White Wet Inlay features the new Impinj M730 IC. This inlay provides excellent read performance for operations in retail with applications such as hang tags, supply chain management, and shipping services. Other typical applications include but are not limited to:

- Corrugated Cases
- Pallet Placard Labels
- Asset Management

The narrow antenna design makes the inlay an ideal fit for certain applications such as file folder labels and other applications that include plastics.

With a PET substrate rather than paper, the Vulcan RFID™ Fire exhibits heightened durability, allowing the inlay to last longer. With the narrow antenna design and larger size when compared to its counterpart in the Vulcan RFID™ Flame, the Vulcan RFID™ Fire exhibits increased performance.

From tracking along the supply chain, to loss prevention, the Vulcan RFID™ Fire White Wet Inlay is an optimal tag featuring enhanced read sensitivity with 128 bits of EPC memory.








Specifications

ELECTRICAL	Air Interface Protocol:	ISO 18000-6C
	Operating Frequency:	Global (860-960 MHz)
	IC Type:	NXP UCODE 8
	Memory:	EPC 128 Bits, TID 96 Bits, User 0 Bits
	EPC Memory Content:	Unique
	Max Read Distance:	Testing recommended
	Applicable Surface Materials:	Glass, plastic, wood, cardboard
MECHANICAL	Tag Form Factor:	White wet inlay
	Tag Materials:	Printable white film (Thermal Transfer)
	Attachment Method:	General purpose permanent acrylic based adhesive
	Quantity per Roll:	5,000
	Core Internal Diameter:	76.2 mm (3 in)
	Roll External Diameter:	195.83 mm (7.71 in)
	Dimensions:	75 x 15 mm (2.95 x 0.60 in)
	Weight:	1 g
ENVIRONMENT	Operating Temperature:	-40° to +85°C (-40° to +185°F)
	Storage Temperature:	-55° to +125°C (-67° to +257°F)



Diagrams

Layout and Dimensions (mm)



Construction (Total Thickness: 0.26~0.36 mm)

0.05	chip	Matte White PET with adhesive (BYMC00042)
0.062		Inlay
0.02		Transfer Tape(BYJC00031)
0.053		Silicon Paper(BYJC00031)

Product Variations

	IC Type & Memory	Form Factor	Product Code
Fire	NXP UCODE 8 (EPC 128 Bits, TID 96 Bits)	White Wet Inlay	VUL-FIRE-UC8-WWINLY
	Impinj M730 (EPC 128 Bits, TID 96 Bits)	White Wet Inlay	VUL-FIRE-M730-WWINLY



About Vulcan RFID™ Products

Vulcan RFID™ offers a broad range of innovative RFID antennas, RFID inlays, custom RFID tags, and accessories suited for a wide variety of industries and applications. With an extensive portfolio, Vulcan RFID™ products are manufactured to withstand environments ranging from mild to extreme. All Vulcan RFID™ products are thoroughly tested and built on a name you can trust. Vulcan RFID™ products enable you to reach and sustain high levels of performance with your UHF or NFC frequency application.



Vulcan RFID™ Antennas

Vulcan RFID™ offers an extensive collection of UHF RFID antennas designed to maximize the RF performance and coverage area of an RFID system.

[Shop Now](#)



Vulcan RFID™ Tags & Inlays

Vulcan RFID™ offers a broad range of RFID labels, tags and inlays built to withstand environments ranging from mild to extreme.

[Shop Now](#)



Vulcan RFID™ Accessories

Vulcan RFID™ provides a variety of high-quality accessories, RF hardware, and cables.

[Shop Now](#)



Inside USA
1 (888) 238-1155

Outside USA
1 (205) 383-2244

info@atlasRFIDstore.com
www.atlasRFIDstore.com